

Hooksett Sewer Commission
September 21, 2021
Meeting Minutes

INITIAL	COMMENTS
B	
Jim	

This meeting was called to order at 12:00pm. Present were Chairman Sidney Baines, Commissioner Richard Bairam, Commissioner Robert Duhaime, Superintendent Ken Conaty, Assistant Superintendent John Clark and Guy Beloin.

Approve and sign manifest

Approve Minutes: Commissioner Robert Duhaime made motion to approve both the workshop minutes and the meeting minutes from September 7, 2021. Commissioner Richard Bairam seconded. All in favor, the motion was carried unanimously.

Read Correspondence

Financial Report: Guy came in to give the sewer commission a brief overview of the Hooksett Sewer Commission accounts. Commissioner Richard Bairam made motion to transfer \$30,800.00 from the Hooksett Sewer Commission checking account to the Hooksett Sewer Commission Trust- Capital Reserves account. Commissioner Robert Duhaime seconded. All in favor, the motion was carried unanimously.

Scheduled Appointments: 1:30pm: Contract Signing for Phase 3A Capital Improvements

- The Project was awarded to PRB Construction: A list of all that were in attendance and the Pre-Construction agenda is attached (see attachment 1 totaling 18 pages).

Superintendent Conaty's Report

Phase 3A Plant Upgrades

- Bid signing today at 1:30pm

Other

- EPA Storm Water permit training on testing will be September 23, 2021
- 1380 Hooksett Road pre-con construction meeting is tomorrow
- Superintendent Conaty completed his budget presentation to the Sewer Commission. Commissioner Richard Bairam made motion to approve the 2022 Budget presented to them by Superintendent Ken Conaty. Commissioner Robert Duhaime seconded. All in favor, the motion was carried unanimously.
- The new mover deck that was ordered to mow the easements will arrive in January
- Superintendent Conaty presented a Ford-350 Crew Cab Mechanics body truck that he would like to purchase for the Hooksett Wastewater Treatment Plant. The cost of the truck would be \$76,922.00 plus applicable fees, dealer fees and travel (see attachment 2). Commissioner Robert

Duhaime made motion to approve the purchase of the new truck presented to them by Superintendent Ken Conaty. Commissioner Richard Bairam seconded. All in favor, the motion was carried unanimously.

- A manhole cover was removed on the easement property of the Hooksett Sewer Commission, located near 26 Farmer Road. A resident of the area had regarded their lawn and failed to contact dig safe. When the lawn was regarded the cover of the manhole was pushed off and the manhole filled with dirt and rock, causing a sewer backup. It took two full days, for the sewer department, to fix the backed up sewer. Superintendent Conaty would like to contact the responsible individual and bill them accordingly. He asked the Sewer Commission their thoughts on this. They agreed that the responsible party should be notified and billed for the expenses.

Old Business: TIF updates are every third Tuesday of the month

- Town Administrator Andre Garron, Town Engineer Bruce Thomas and David Mercier from Underwood all met with the Sewer Commission to discuss where things are at with the TIF.


New Business: Next Sewer Commission Meeting is October 5, 2021


Non-Public Session: None

Public Input: None

Adjournment: Commissioner Robert Duhaime made motion to adjourn at 3:00pm. Commissioner Richard Bairam seconded. All in favor, the motion was carried unanimously.

Respectfully Submitted,


Kim Langlois
Billing Clerk


Richard Bairam (Clerk)

Date: 9/21/21**PLEASE SIGN IN*****Please Print!*****Name****Title**Robert Dehaene Sewer CommissionSid Baines 9-21-21Richard Bann Sewer Commission 9/21/21Ken Conaty Sewer Treatment Plant 9/21/21PAUL R. BLANDFORD PRB Construction 9-21-2021DAVE MERLIER UNDERWOOD ENGINEERS 9-21-2021THAD WEBB UNDERWOOD ENGINEERS 9-21-2021Shannon Larocque NHDES - Construction Mngmt 9/21/21DAVID Cloutier NHDES 9/21/21John Clark Hooksett Sewer 9/21/21

**Hooksett Sewer Commission, Hooksett, NH
Phase 3A Capital Improvements**

**Pre-Construction Meeting Agenda
Tuesday, September 21, 2021
1:30 p.m. @ Hooksett Sewer Commission Office**

Present at the meeting:

<u>Name</u>	<u>Position</u>	<u>Representing</u>
Ken Conaty	Superintendent	Hooksett Sewer Commission
David Mercier	Senior Project Manager	Underwood Engineers
Thaddeus Webb	Project Engineer	Underwood Engineers
Paul Blandford	President	PRB Construction
Dave Nelson	Foreman	PRB Construction
Terry Gruvman	Project Support	PRB Construction
Shannon Larocque	Construction Mgmt.	NHDES
David Cloutier	Grants Management	NHDES

1. Submittal of Executed Bonds and Insurance Certificates: ✓

- Underwood has reviewed and approved the Contractors bonds and insurances submitted previously.
- PRB shall submit Owner's Protective Liability Insurance certificate before starting the work.

2. Execution of Contract: ✓

- PRB Construction and HSC to sign contracts.
- Project time commences **Friday, October 1, 2021.**
- Substantial Completion of work **March 25, 2023 (540 days).**
- Final Completion of work **April 24, 2023 (570 days)**
- Executed Contract Documents will be distributed as follows:
- HSC – 1, Contractor – 1, Underwood – 1, NHDES - 1
- Three additional bid sets (non-executed) provided to PRB Construction

3. Designation of Responsible Personnel and Emergency Contacts to be submitted ASAP:

- Name, address, telephone, fax, e-mail & cell phone (see attached "Draft" contacts).
- PRB Construction Safety Officer for project is _____.
- PRB Construction Superintendent is Paul Blandford.
- Underwood Resident Project Representative (RPR) is _____.

4. Contractor's Submittals:

- a. Subcontractors
 - Concrete.
 - Concrete Testing.
 - Site work.

- ## 5. Description of Procedures:

- ## 6. Scheduling and Critical Work Sequencing:

- 7. Coordination & Scheduling with other Contracts and/or work:**

- 8. Use of Premises by OWNER and CONTRACTOR:**

- 9. Construction Facilities and Controls provided by CONTRACTOR:**

- \\Uconcord\concord\PROJECTS\HOOKSETT, NH\REALNUM\2576 WWTF Phase 3A Capital Improv\31A_Project Meetings\Preconstruction Meeting\2576 Pre-con Agenda.docx

10. Construction Facilities and Controls to be provided by OWNER:

- None.

11. Federal Requirements:

- Davis-Bacon Wage Rates
Weekly certified payroll forms from Contractor and all Sub-Contractors shall be submitted with applications for payment.
- Disadvantage Business Enterprises
Progress Report of DBE Utilization Form submitted with applications for payment.
- American Iron & Steel
AIS certification of compliance by Owner & Contractor submitted with applications for payment.

12. Requirements of Various Agencies:

- None

13. Rights-of-way and Easements:

- All work is within Town-owned property.

14. Winter Maintenance:

- Staging areas to be Contractor's responsibility
- Contractor shall keep all driveways and walkways clear for plowing

15. Security and Housekeeping Procedures:

- Staging Areas within the Treatment Facility boundaries or as agreed with the Owner.

16. Payments to CONTRACTOR:

- Once per month
- Pay requisition closing date shall be the end of the month.

17. Procedures for maintaining Record Documents:

- Document any changes from executed plans.
- Red-lines are to be kept by PRB in coordination with the Underwood RPR – review to occur daily between the Contractor and Underwood RPR.

18. Meeting Schedule

- Meetings will be held monthly (as a minimum) and shall be held on TBD.

First Tuesday of Month.

19. Other:

- Contractor shall provide and/or obtain approval of the following submittals prior to construction start:
 - Pre-construction photographs / videos.
 - Construction Schedule.
 - Schedule of Values (blank payment request attached).
 - Bypass Pumping
 - Treatment Process Maintenance Plan (section 01041).
- Special conditions (see attached).
-
-

SPECIAL CONDITIONS

Special Conditions

The following special conditions modify, change, delete, or add to the "General Conditions." Where any part of the General Conditions is modified or voided by these Sections, the unaltered provisions of that part shall remain in effect.

<u>Section No.</u>	<u>Section Title</u>	<u>Page No.</u>
Index 7.	Inspection and Testing of Materials	C-2.3
Index 14.	Inspection	C-2.3
SC-7	Inspection and Testing of Materials	C-2.3
SC-14	Inspection	C-2.3
SC-16	Superintendence by Contractor	C-2.3
SC-17	Extra Work and Change Orders	C-2.4
SC-20	Differing Site Conditions	C-2.4
SC-22	Right of Owner to Terminate Contract	C-2.5
SC-25	Acceptance and Final Payment	C-2.5
SC-27	Insurance	C-2.6
SC-28	Contract Security	C-2.8
SC-35	Use of Premises, Removal of Debris, Sanitary Conditions	C-2.8
SC-36	Quantities of Estimates	C-2.8
SC-39	Errors and Inconsistencies in Contract Documents	C-2.9
SC-58	Work Performed at Night and on Sundays and Holidays	C-2.9
SC-59	Laws to be Observed	C-2.9

OTHER REQUIREMENTS:

1. Working Hours	C-2.10
2. Existing Utilities	C-2.10
3. Occupying Private Property	C-2.10
4. Site Security	C-2.10
5. Road Open to Through Traffic & Maintenance of Driveway Access	C-2.10
6. Schedule	C-2.10
7. Project Sign	C-2.11
8. Preconstruction Video	C-2.11

C-2.2

SPECIAL CONDITIONS

9. Staging Areas	C-2.11
10. Excavation, Dewatering, and Sheet piling	C-2.11
11. Davis Bacon Wage Rates	C-2.11
12. Non-Resident Contractor	C-2.12
13. Temporary Screening	C-2.12

SPECIAL CONDITIONS

Index 7. - Inspection and Testing of Materials

Replace the word “Inspection” with the word “Observation”.

Index 14. - Inspection

Replace the word “Inspection” with the word “Observation”.

SC-7 - Inspection and Testing of Materials

Replace the word “inspection” with the word “observation” as it appears throughout the Section (Section title, 7.1, 7.6 – 2 times and 7.9).

Replace the word “inspector” with the word “Engineer” as it appears in Section 7.6.c.

SC-14 - Inspection

Replace the word “inspection” with the word “observation” as it appears throughout the Section (Section title and 14.1).

SC-16 – Superintendence by Contractor

Insert the following after Article 16:

16.1 Character of the Contractor's Superintendent and Workers

a. The Contractor's superintendent shall be pre-approved by the Owner and shall conduct himself in a professional and responsible manner. If, in the opinion of the Owner and Engineer, the superintendent persistently fails to maintain adequate quality control on the project, or adequately supervise or coordinate the work needed for the successful completion of this project, the Engineer may recommend to the Owner that the superintendent be relieved of his responsibilities and be removed from the project. Upon written notice from the Owner the Contractor shall immediately relieve the superintendent of his responsibilities and remove him from the project. The work of this project must be conducted under the supervision of a pre-approved and competent superintendent. The Owner and Engineer shall in no way be held responsible for delays in the work caused by the Contractor's failure to provide a competent superintendent.

b. Any person employed by the Contractor or by any subcontractor who, in the opinion of the Engineer, does not perform his work in a proper and skillful manner or is intemperate or disorderly shall, at written request of the Engineer, be removed immediately by the Contractor or subcontractor employing such person, and said person shall not be allowed to work on any other portion of work in this Contract without written approval of the Engineer.

SPECIAL CONDITIONS

- c. Should the Contractor fail to remove such person(s) or fails to furnish suitable and sufficient personnel for the proper prosecution of the work, the Engineer may recommend to the Owner that work be suspended until compliance with such orders has been met. Contact Time will not be stopped during this period.

SC-17 - Extra Work and Change Orders

Insert the following to Article 17.2:

- a. Rentals of all construction equipment and machinery, and the parts thereof in accordance with rental agreements approved by Owner with the advice of Engineer, and the costs of transportation, loading, unloading, assembly, dismantling, and removal thereof. All such costs shall be in accordance with the terms of said rental agreements. The rental of any such equipment, machinery, or parts shall cease when the use thereof is no longer necessary for the Work.
- b. Costs for equipment and machinery owned by Contractor will be paid at a rate shown for such equipment in the "Rental Rate Blue Book" latest edition. The Contractor shall supply a copy of the book with the claim. An hourly rate will be computed by dividing the monthly rates (that are noted in the Rental Rate Blue Book) by 176. These computed rates will include all operating costs. Costs will include the time the equipment or machinery is in use on the changed Work and the costs of transportation, loading, unloading, assembly, dismantling, and removal when directly attributable to the changed Work. The cost of any such equipment or machinery, or parts thereof, shall cease to accrue when the use thereof is no longer necessary for the changed Work. Equipment or machinery with a value of less than \$1,000 will be considered small tools.

SC-20 - Differing Site Conditions

Delete paragraph 20.2 in its entirety. **Replace** with the following:

The Engineer shall promptly investigate the conditions. If he or she finds that conditions differ materially and will cause an increase or decrease in the Contractor's cost or the time required to perform any part of the work under this Contract whether or not changed as a result of such conditions, the Engineer will notify the Owner and recommend an equitable adjustment. Contractor and Owner will enter into negotiations to modify the Contract in writing.

SPECIAL CONDITIONS

SC-22 – Right of Owner to Terminate Contract

Insert the following at the end of the second sentence in Article 22.5:

“up to the date of written notice”

SC-25 - Acceptance and Final Payment

Insert the following at the end of Article 25.1.a:

“Substantial Completion is further defined as the point when a successful 7-day Operational Readiness Test has been completed as approved by the Engineer.”

Insert the following at the end of Article 25.1.d:

“The guarantee period shall be one year.”

Insert the following after Article 25.1.d:

e. Upon written notice from the Engineer, the Contractor shall complete all warranty items listed in the notice within fourteen (14) days. The notice period may be reduced to a few days if an item is critical. Also the notice period may be nothing if it is an emergency. If an emergency arises the Contractor shall address it immediately.

f. If the Contractor fails to complete warranty work within the notice period that is stated on the notice, the Owner may hire another contractor to perform the work and all cost associated with locating, hiring, and actual construction costs shall be borne by the Contractor.

g. The Contractor shall not be given phased or staged substantial completion as work is completed. All new infra-structure appurtenances which are installed under this Contract, whether operating or not, shall remain in the full control and responsibility of the Contractor until the entire project reaches substantial completion.

SPECIAL CONDITIONS

SC-27 - Insurance

Add the following to Article 27.2:

The Owner, Engineer and Engineer's Subconsultants shall be named as additional insured on the Contractor's Commercial General Liability insurance policy.

In addition to the individuals and entities specified, include as additional insureds, the following:

Underwood Engineers, Inc.
McFarland Johnson, Inc.
SMR Engineering, P.C.
Yeaton Associates
Hooksett Sewer Commission
New Hampshire Department of Environmental Services (NHDES)

Add the following to Article 27.3:

Coverage amounts may be satisfied by excess or umbrella policies provided the Hooksett Sewer Commission is listed as an additional insured on the excess/umbrella policy as well as the general liability policy.

Change the following in Article 27.6:

The second sentence shall read: "Such insurance shall not be cancelled or materially altered, except after 30 days written notice has been received by the Owner and the Engineer."

Insert the following article 27.7:

27.7.1 Installation Floater: For construction projects to which a "Builder's Risk" type of insurance is not applicable, the Contractor shall purchase and maintain an "Installation Floater" in an amount not less than the value of materials for the project covered under the policy.

27.7.2 Be written on a Builder's Risk "all-risk" or open peril or special causes of loss policy form that shall at least include insurance for physical loss or damage to the Work, temporary buildings, falsework, and materials and equipment in transit, and shall insure against at least the following perils or causes of loss: fire, lightning, extended coverage, theft, vandalism and malicious mischief, earthquake, collapse, debris removal, demolition occasioned by enforcement of Laws and Regulations, water damage (other than caused by flood), and such other perils or causes of loss as may be specifically required herein;

27.7.3 At a minimum, the following should be named as additional insured:

- a. Hooksett Sewer Commission

SPECIAL CONDITIONS

- b. Underwood Engineers, Inc.

Insert the following to Article 27.8:

The Engineer and Engineer's Subcontractors shall be named as Additional Insured on the Owners policy provided by the Contractor.

Insert the following after Article 27.8:

27.9.1 Waiver of Rights: Owner and Contractor waive all rights against each other for all losses and damages caused by any of the perils covered by the policies of insurance provided in response to Paragraphs 27.2, 27.3 and 27.8 and any other property insurance applicable to the Work, and also waive all such rights against Subcontractors, Engineer, Engineer's consultants and all other parties named as insureds in such policies for losses and damages so caused. As required by Paragraph 27.4 each subcontract between Contractor and a Subcontractor will contain similar waiver provisions by the Subcontractor in favor of Owner, Contractor, Engineer, Engineer's consultants and all other parties named as insureds. None of the above waivers shall extend the rights that any of the insured parties may have to proceeds of insurance held by Owner as trustee or otherwise payable under any policy so issued.

27.9.2 Policy Provisions: OWNER and CONTRACTOR intend that any policies provided in response to Paragraphs 27.2 and 27.7 shall protect all of the parties insured and provide primary coverage for all losses and damages caused by the perils covered thereby. Accordingly, all such policies shall contain provisions to the effect that in the event of payment of any loss or damage the insurer will have no rights of recovery against any of the parties named as insureds or additional insureds, and if the insurers require separate waiver forms to be signed by the ENGINEER or ENGINEER's consultant OWNER will obtain the same, and if such waiver forms are required of any Subcontractor, Contractor will obtain the same.

Insert the following after Article 27.9.2:

27.10 Certificates of Insurance

- a. Contractor shall deliver to Owner, with copies to each additional insured identified in the Special Conditions, certificates of insurance (and other evidence of insurance requested by Owner or any other additional insured) which Contractor is required to purchase and maintain.
- b. Failure of Owner to demand such certificates or other evidence of full compliance with these insurance requirements or failure of Owner to identify a deficiency from evidence provided shall not be construed as a waiver of Contractor's obligation to maintain such insurance.

SPECIAL CONDITIONS

- c. By requiring such insurance and insurance limits herein, Owner does not represent that coverage and limits will necessarily be adequate to protect Contractor and such coverage and limits shall not be deemed as a limitation on Contractor's liability under the indemnities granted to Owner in the Contract Documents.

SC-28 - Contract Security

Insert the following paragraph to Article 28 of the General Conditions:

The payment bond and performance bond furnished by the contractor shall be in the form of the bonds shown on Page B-3.1 and B-3.2 and B-4.1 and 4.2, unless approved otherwise by the engineer.

The terms contained in the performance bond shall in no way invalidate the provisions of the contract documents or the right of the owner to terminate the contract as specified therein.

SC-35 - Use of Premises, Removal of Debris, Sanitary Conditions

Insert the words "and potable water" after the word "toilet" and before the word "accommodations"

Insert the words ", subcontractors and Engineer" after the words "use of his employees" and before the words "as may be necessary"

SC-36 - Quantities of Estimate

Delete Article 36 and **Replace** it with the following:

1. Where the Contract Documents provide that all or part of the Work is to be Unit Price Work, initially the Contract Price will be deemed to include for all Unit Price Work an amount equal to the sum of the unit price for each separately identified item of Unit Price Work times the estimated quantity of each item as indicated in the Agreement.
2. The estimated quantities of items of Unit Price Work are not guaranteed and are solely for the purpose of comparison of Bids and determining an initial Contract Price. Determinations of the actual quantities and classifications of Unit Price Work performed by Contractor will be made by Engineer.
3. Each unit price will be deemed to include an amount considered by Contractor to be adequate to cover Contractor's overhead and profit for each separately identified item.
4. Owner or Contractor may make a Claim for an adjustment in the Contract Price in accordance with Article 21:

SPECIAL CONDITIONS

- a. the Bid price of a particular item of Unit Price Work amounts to more than 5 percent of the Contract Price and the variation in the quantity of that particular item of Unit Price Work performed by Contractor differs by more than 25 percent from the estimated quantity of such item indicated in the Agreement; and
- b. there is no corresponding adjustment with respect to any other item of Work; and
- c. Contractor believes that Contractor is entitled to an increase in Contract Price as a result of having incurred additional expense or Owner believes that Owner is entitled to a decrease in Contract Price and the parties are unable to agree as to the amount of any such increase or decrease.

SC-39 Errors and Inconsistencies in Contract Documents

Insert the following after Article 39.6:

39.7 For inconsistencies within drawings and/or technical specifications the more stringent requirement shall govern.

SC-58 – Work Performed at Night and on Sundays and Holidays

Insert the following after Article 58.2:

58.3 If not defined by the Owner, Holidays shall include the following. The Owner may have additional holidays:

- Memorial Day
- Independence Day
- The day before Independence Day if Independence Day is on a Tuesday. The day after Independence Day if Independence Day is on a Friday.
- Labor Day
- Columbus Day
- Thanksgiving
- Day after Thanksgiving

SC-59 - Laws to be Observed

Insert the following at the end of Article 59.1:

“This Contract shall be interpreted as a Town of Hooksett Contract and in accordance with the ordinances of the Town of Hooksett, NH.”

SPECIAL CONDITIONS

OTHER REQUIREMENTS

1. WORKING HOURS

- A. The Contractor shall not begin work until after 07:00 hours and no construction activities shall be allowed after 17:00 hours. All cleanup shall have been completed by this hour.
- B. No work shall be allowed on weekends or holidays.

2. EXISTING UTILITIES

- A. The location of the existing utilities shown on the Drawings is approximate and is based on information provided by others. It shall be the responsibility of the Contractor to locate all questionable utilities in the field by exploratory test pitting. Any utilities damaged by the Contractor's activities shall be repaired immediately by the Contractor at no cost to the OWNER.

3. OCCUPYING PRIVATE PROPERTY

- A. The Contractor shall not enter upon nor occupy with men, equipment or materials any property outside of the Owner's property, the Town of Hooksett right-of-way, or easements obtained by the Owner, unless written consent of the property owner is obtained and a copy of such written consent is provided to the Owner prior to entry by the Contractor.

4. SITE SECURITY

- A. The Contractor shall be required to place temporary barriers or fencing (snow fence, fluorescent orange security fencing, etc.) around all storage yards at all times and around all equipment during non-working hours.

5. ROAD OPEN TO THROUGH TRAFFIC & MAINTENANCE OF DRIVEWAY ACCESS

- A. One full-width vehicle lane shall be maintained open for through-traffic at all times throughout the Contract period. At the end of each work day, all trenches shall be completely backfilled by the Contractor.

6. SCHEDULE

- A. The Contractor is responsible for submitting a proposed progress schedule to the Owner at the Preconstruction Conference or 10 days prior to the start of construction, at every Progress Meeting, and in accordance with Section 01310. If an updated schedule is not provided each month, it shall be grounds for withholding payment.
- B. The resident engineer will issue a monthly report on project staffing and progress. Should the Contractor fail to complete the project within contract time without a valid

SPECIAL CONDITIONS

justification for an extension, said Contractor shall be barred from bidding similar projects within the Town of Hooksett for a period of two (2) years.

7. PROJECT SIGN

- A. A project sign, as shown in specification section 01580, shall be placed at the site. The exact location shall be determined by the Engineer in the field.

8. PRECONSTRUCTION VIDEO

- A. The Contractor shall conduct a pre-construction video of the entire project work area in accordance with spec. Section 01381.

9. STAGING AREAS

- A. Staging areas shall be arranged with the Owner prior to mobilization to the site. Several areas are available in close proximity to the plant.

10. EXCAVATION, DEWATERING AND SHEETING

- A. Contractor shall submit plans for excavation, sheeting and dewatering and maintaining groundwater levels below the excavation(s) for review by the Engineer prior to the commencement of construction. The Contractor's submittal shall specifically address how/where the dewatering flow streams(s) will be discharged. If the dewatering flow stream is to be discharged directly to a surface water, a NPDES General Permit For Construction Dewatering Activity will need to be obtained by the Contractor prior to commencing dewatering operations. Contact EPA Region 1.

11. DAVIS BACON WAGE RATES

- A. Part D of the Project Manual includes wage rate determinations for Building and Heavy Construction. This project will include work that falls into both the "Building" and "Heavy" wage rate categories.

The "**Heavy**" General Wage Decision applies to all work associated with the Biological Nutrient Treatment (BNR) Influent Flow Splitter, BNR Tanks and Rectangular Sludge Holding Tank (converted to BNR Tank), New Integrated Fixed Film Activate Sludge (IFAS) Tanks, Existing IFAS Tanks, Secondary Clarifier Influent Flow Splitter, Secondary Clarifier 1 and 2, Relocation of the Fuel Tank and

SPECIAL CONDITIONS

Concrete Pad, Site Utilities, Yard Piping, and any other work not specifically identified under “Building” in the paragraph below.

The “**Building**” General Wage Decision applies to all work performed in the Operations Building, Chemical Building No. 1 (Chlorination/De-Chlorination Building), and Chemical Building No. 2.

- B. The Contractor will be responsible for keeping track of the work performed under each wage rate determination. The Contractor is responsible for designating which wage rates are applicable to each employee on each certified payroll, including subcontractor payrolls.
- C. The Contractor is responsible for preparing conformance requests for labor classifications not included in the applicable rates (for example, a Flagger rate may be needed under the Heavy determination for trench work).

12. NON-RESIDENT CONTRACTOR

- A. On Page A-2.3 in the Information for Bidders, add a Limited Liability Company (LLC) as an acceptable form of organization.

13. TEMPORARY SCREENING

During demolition and modifications in the Headworks Building, it will be necessary for the Contractor to provide temporary fine screening of all influent flow while the headworks influent channels are being modified. This will require bypass pumping to a trailer-mounted fine screening unit with controls and drain line to grit removal. Costs for this work shall be incorporated into the Contractor’s price for Bid Item No. 1.

END OF SECTION

Hooksett, NH
Hooksett Sewer Commission
Phase IIIA Capital Improvements Project
Construction Phase Contacts List
September, 2021

Name	Voice	E-Mail	Address
Ken Conaty <i>Superintendent</i>	(603) 485-7000	ken.hooksettwwastewater@gmail.com	Hooksett Sewer Commission 1 Egawes Drive Hooksett, NH 03016
David Mercier <i>Vice President</i>	(603) 230-9898 Cell: (603) 203-9277	dmercier@underwoodengineers.com	Underwood Engineers, Inc. 99 North State Street Concord, NH 03301
Thaddeus Webb <i>Project Engineer</i>	(603) 996-9492 Cell: (434) 996-9492	twebb@underwoodengineers.com	Underwood Engineers, Inc. 25 Vaughan Mall Portsmouth, NH 03801
Daniel Jacobson <i>Project Engineer</i>	(603) 230 9898 Cell: (603) 809-2517	djacobson@underwoodengineers.com	Underwood Engineers, Inc. 99 North State Street Concord, NH 03301
_____ <i>Resident Engineer</i>	Cell: (603)	_____ @underwoodengineers.com	Underwood Engineers, Inc. 99 North State Street Concord, NH 03301
Paul Blandford <i>Project Manager</i>	(603) 528-7703 Cell: (603) 387-4602	Paul@prbconstructioninc.com	PRB Construction, Inc. 25 Country Club Rd. #706 Gilford, NH 03249
Dave Nelson <i>Foreman</i>	(603) 528-7703 Cell: (603) 707-8503		PRB Construction, Inc. 25 Country Club Rd. #706 Gilford, NH 03249
Terry Gruvman <i>Project Support</i>	(603) 528-7703	terry@prbconstructioninc.com	PRB Construction, Inc. 25 Country Club Rd. #706 Gilford, NH 03249
Shannon Larocque <i>Const. Management</i>	(603) 271-2903	Shannon.larocque@des.nh.gov	NHDES Wastewater Eng. Bureau 29 Hazen Drive Concord, NH 03301
David Cloutier <i>CWSRF Program Specialist</i>	(603) 271-0626	David.cloutier@des.nh.gov	NHDES Wastewater Eng. Bureau 29 Hazen Drive Concord, NH 03301
Hooksett, NH POLICE	(603) 624-1560 Non-emergency	jbouchard@hooksettpolice.org (Janet Bouchard, Chief of Police)	Hooksett Police Department 15 Legends Drive Hooksett, NH 03016
Hooksett, NH FIRE	(603) 623-7272 Non-emergency	jborkush@hooksettfire.org (James Burkush, Fire Chief)	Hooksett Police Department 15 Legends Drive Hooksett, NH 03016
Manchester, NH HOSPITAL	(603) 669-5300 Non-emergency		Elliot Hospital 1 Elliot Way Manchester, NH 03103

2019 Ford F-350 Crew Cab DRW 4x4, Mechanics Body (Stock #10634)



Photos may be stock images.



Photos may be stock images.

Price \$76,922

Approved

Contact Trucksmart Isuzu Truck for more info.

(267) 754-2158 (tel: +1-267-754-2158)

Vehicle available NOW in Morrisville, PA

Vehicle Notes

ONLY 943 MILES! Crew Cab, 4X4, Liftmoore 3200 REE Two Stage Extending Crane, 3200 Lb Capacity, Extends From 7 Ft to 11 Ft, Outriggers, 9 Ft Utility Bo ...

Body Details

Body Type Mechanics Body

Has Crane Yes

Chassis Details

Mileage	943
Stock Number	10634
Stock Type	N
Year	2019
Make	Ford
Model	F-350
Class	3
Drive Train	4x4
Wheelbase	180
Cab Type	Crew
Vehicle Body	Cab/Chassis
Vehicle VIN	1FD8W3H67KEE06676
Engine Cylinder Count	8
Rear Wheels	Dual
Fuel Type	Gasoline
Engine Make	Ford
Engine Size (L)	6.2
Horsepower	383
Brake Type	Hydraulic
Cab Style	Conventional